EAGO USA



2017
CATALOG

WARRANTY

Toilets & Bidets come with a 5 year limited warranty on all porcelain parts against fading/staining of the glaze & 1 Year on flushing mechanisms,seats. The in wall tank carrier for wall mounted toilets model PSF332 has a 1 year warranty on all parts.

Whirlpool Tubs offer a 1 year limited warranty on all parts.


Porcelain Sinks come with a 5 year limited warranty on all porcelain parts against fading/staining of the glaze.




TB222

26 5/8" x 15 3/4" x 25"









Dual Flush 0.8/1.28GPF 72 lbs

TB351

15 3/4"x 15 1/8" x 26 5/8"









Dual Flush 0.8/1.28GPF 76 lbs

TB346

28" x 15 1/4" x 28"









Dual Flush 0.8/1.28GPF 86 lbs

TB309

28 3/8" x 16" x 30 3/4"









Dual Flush 0.8/1.28GPF 80 lbs

TB353

26 3/4'' X 15'' X 27''









Dual Flush 0.8/1.28GPF 97 lbs

TB359

28'' X 15 1/4'' X 28''









Dual Flush 0.8/1.28 GPF 105 lbs

TB356

30'' X 19 3/4'' X 22 3/8''









Dual Flush 0.8/1.28GPF 105 lbs

TB358

27 1/2"X15 3/4"X15 3/4"








Dual Flush 0.8/1.28 GPF 110 lbs

TB108 28 1/4" x 16" x 15 3/4"






Single Flush 1.28GPF 101 lbs

TB336 27 3/4" x 15" x 16 3/8"






Single Flush 1.28GPF 122 lbs

TB133 29"x12 3/8"x15 3/4"






Single Flush 1. 28GPF 107 lbs



TB340 29 1/4" x 16 7/8" x 20 3/4"






Single Flush 1.6gpf 118 lbs



Seen above Toilet TB340

TB326 27 3/8" x 15" x 16 3/8"






Single Flush 1.6GPF 119 lbs

TB352 30" x 19 3/4" x 22 1/4"





Single Flush 1.6GPF 110 lbs


EAGO

ADA HIGH EFFICIENCY SINGLE FLUSH TOILETS

TB364

28 1/2" × 15" × 31"






Single Flush 1. 28GPF 110 lbs

TB377

28 1/2" × 14 1/2" × 30 1/2"






Single Flush 1. 28GPF 115 lbs



WD101 22" x 14 1/5" x 13 4/5"






46 lbs

WD332 21 7/8" x 15" x 13 5/8"






45 lbs

WD333 20 7/8" x 13 3/4" x 13 3/4"






55 lbs

JA1010 23 3/4" x 14" x 16 1/4"






57 lbs

PSF332

In Wall Tank Carrier.Dual Flush 0.8/1.6gpf







Optional chrome button upgrade sold separately as model # WDCFB

OUT&OUT
POWERFUL FLUSHING SYSTEM



Dual Flush. So simple yet so genius. One button for solid waste (1.6 gpf) and one button for liquid waste (0.8 gpf).
Dual Flush Models: TB309, TB222, TB346, TB351, TB353, TB356, TB358,TB359



Slow / Silent Closing Toilet Seat & Lid
The soft drop seat has an innovative hinge system that will gently guide the toilet seat down without a sound.

We are proud to present our most advanced flushing system - Out & Out powerful flushing. This features a trap way with a diameter of more than 2", complemented by our super powerful jet siphonic flushing function.

Only one flush!


25 pcs of sponge strips (19x29mm)



90 polypropylene balls out of 100!



*Above-mentioned testing tools are standard tools for CSA testing



Siphonic Flush System. New tower based mechanism. There is no chain to snap, and no flapper to partially close, leaving your toilet running.

01 Powerful and efficient 3" flushing valve. Reduces the number of problems typically associated with older ball-chain-flapper systems.

02 Wide water surface. A large surface area keeps odors down and allows for easy cleaning.

03 Balanced water distribution. Designed to maintain the optimal balance between an increased diameter and proper exit velocity.

04 Large 2" fully glazed trap. Fully glazing the trap way ensures that waste flows smoothly to the exit with a single flush, each time.

05 Big jet hole ensures proper flushing every time.

SOPHISTICATED TOILET TECHNOLOGY

Living the Green Life. These environmentally friendly toilets will save a family of four an average of 10,000 gallons of water per year!

To prevent particles from adhering to the ceramic surface of our porcelain ware, easy-clean glazing is applied. Making use of nanometer technology, a super-smooth surface is created. Compared to conventional glazing, there is an ionized barrier to prevent particles from adhering to ceramic. In fact a catalyzed ion barrier repels particles away so the surface has a super-clean feature and is effortless to clean.


Conventional Glazing



Under a microscope, you can see that the surface is actually not smooth on conventionally glazed porcelain ware, allowing dirt to adhere and remain there. This cannot happen with EAGO glazing



Conventional glazing has a rough surface so it's easy for dirt to be attached.




After use for a long time, bacteria will grow on the surface and it doesn't smell good!

EAGO Easy-Clen Glazing



In addition to the conventional surface, one layer of easy-cleaning glaze is applied. Under a microscope, you can see that the surface is smooth. It keeps dirty away and is always super clean.



Easy-cleaning glazing has a smooth surface so it's difficult for dirt to stay there.



No bacteria will accumulate on EAGO easy-clean glazing surfaces, so it doesn't give unpleasant smells even after a prolonged period of use!



Fully Glazed inside & out. The trap ways of EAGO toilets are perfectly glazed just as they are on the outer surface. Keeping your toilet flushing like new for years.

One Piece Toilet. Enjoy a sleek solid European design. Not only does it look so much better than your old toilet, it also performs significantly better.

All toilet models feature:
One Piece · White Color · Elongated toilet seat · 12" Rough in

All toilet models include:
Slow / Silent closing toilet seat · Wax ring and all installation requirements.

EAGO
AIR BATH














AM2130 159 lbs

Size: 66" x 66" x 29 ½"

–Free standing round bath tub
–Concealed touch control panel
–Air bubble massage
–LED multi color Chromotherapy
–Water Capacity 90 gallons
–Electrical Requirements : 3.6 Amps, 110 Volts,
60 Hz, 0.5 HP, 400 Watts



A.drain B.air holes C.LED lights D. control panel











AM2140 124 lbs

Size: 68 7/8" x 32 1/2" x 32 1/4"

–Free Standing bath tub
–Concealed touch control panel
–Air bubble massage
–LED multi color Chromotherapy
–Water Capacity 45 gallons
–Electrical Requirements : 1.8 Amps, 110 Volts,
60 Hz, 0.3 HP, 200 Watts






A.drain B.air holes C.LED lights D. control panel












AM1800 106lbs

Size: 70 7/8" x 33 ½" x 31 7/8"

–Free Standing bath tub
–Concealed touch control panel
–Air bubble massage
–LED multi color Chromotherapy
–Water Capacity 40 gallons
–Electrical Requirements : 1.8 Amps, 110 Volts,
60 Hz, 0.3 HP, 200 Watts












AM1900 91 lbs

Size: 74 3/4" x 33 ½" x 28"

–Free Standing bath tub
–Concealed touch control panel
–Air bubble massage
–LED multi color Chromotherapy
–Water Capacity 58 gallons
–Electrical Requirements : 1.8 Amps, 110 Volts,
60 Hz, 0.3 HP, 200 Watts



EAGO’s line of air bubble bath tubs includes four visually stunning models to choose from. All are free standing and made of high quality acrylic. Featuring a high power air blower with hundreds of air holes surrounding the bottom of the tub. This creates an exciting and relaxing bathing experience like no other.

Concealed Touch Control Panel



Sleak newly designed control panel sits flush on the tub

Air Bubble Massage








Integrated design air belt produces strong and consistant air pressure. Surround yourself with soothing air bubbles rising from all directions.

LED Multi Color Chromo Therapy




Touch Screen Control Panel




6 type of massage modes (New function for Freewave whirlpool Bathtub)




4 different types of massage intensity options



5. Gradual automatic change of massage intensity options



6. Impulse massage options









AM196 201 lbs

Size: 70 7/8''x35 3/8''x25 5/8''

Configuration:
- –1.5 HP water pump
- –20 jets
- –Hand shower head
- –Leakproof shower holder
- –Deodorized trap
- –TS touch control panel contains FM radio,chromatic light,impulse type massage adjustment function
- **–Electrical Requirements : 10.5 Amps, 110 Volts, 60 Hz, 1.5 HP,1125 Watts**

Features:
- –Massage bathtub for 2 persons
- –Seamless connection technology
- **–Water Capacity: 95 gallon**
- **–Inline Heater**













AM197 203 lbs

Size: 59''x59''x25 5/8''

Configuration:
- –1.5 HP water pump
- –20 jets
- –Chromatic bubbles light
- –Five–level hand shower head
- –Leakproof shower holder
- –Deodorized trap
- –TS touch control panel contains FM radio,chromatic light, impulse type massage adjustment function
- **– Solid brass fixtures**
- **–Water Capacity: 105 gallon**
- **–Inline Heater**
- **–Electrical Requirements : 10.5 Amps, 110 Volts, 60 Hz, 1.5 HP,1125 Watts**

Features:
Integrated technology for one sheet material, difficult to leave dirt, easy to clean. Tub is stronger and firmer. It will not produce a squeaking sound through gravity or from friction between the tub and skirt panel."



















AM198–L Drain on the Left.
AM198–R Drain on the Right. 161 lbs

Size: 59''x39 3/8''x23 5/8''





Configuration:

–1.2 HP water pump
–6 jets
–8 bubbles light jet
–Five–level hand shower head
–Leakproof shower holder
–Deodorized trap
–Liquid crystal touch control panel
–FM radio
–MP3(USB)
– Solid brass fixtures
–Water Capacity: 69 gallon
–Inline Heater
–Electrical Requirements : 10.5 Amps, 110 Volts, 60 Hz, 1.2 HP,900 Watts


Features:


Integrated technology for one sheet material, difficult to leave dirt, easy to clean. Tub is stronger and firmer. It will not produce a squeaking sound through gravity or from friction between the tub and skirt panel. Controllable 180 flat swing function can open and close water outlet separately. Jet with chromatic light is optional. There is an on/off swing massage button on computer panel



AM199 205 lbs

Size: 60 5/8''x60 5/8''x23 5/8''





Configuration:

–1.2 HP water pump
–10 jets
–8 bubbles light jet
–Five–level hand shower head
–Leakproof shower holder
–Deodorized trap
–Touch screen control panel
–FM radio
–MP3(USB)
–3–pc copper faucet
–Water Capacity: 100 gallon
–Inline Heater
–Electrical Requirements : 10.5 Amps, 110 Volts, 60 Hz, 1.2 HP,900 Watts

Features:

Integrated technology for one sheet material, difficult to leave dirt, easy to clean. Tub is stronger and firmer. It will not produce a squeaking sound through gravity or from friction between the tub and skirt panel. Controllable 180 flat swing function can open and close water outlet separately. Jet with chromatic light is optional. There is an on/off swing massage button on computer panel.



EAGO
CORNER DOUBLE WHIRLPOOL TUB






AM200 161 lbs

Size: 59''x59''x24 3/4''

Configuration:
- –1.2 HP water pump
- –12 jets
- –Hand shower head
- –Leakproof shower holder
- –Deodorized trap
- –Water Capacity: 71 gallon
- –Electrical Requirements : 10 Amps, 110 Volts, 60 Hz, 1.2 HP,900 Watts

Features:
- –pneumatic switch
- –dismountable skirt panel




AM505 189 lbs

Size: 60 5/8''x60 5/8''x31 1/2''

Most popular triangular whirlpool bathtub for two people

- -Beautiful cascade water inlet
- -14 jets
- -Sensational bottom hydro-massage system
- -Water capacity: 107 gallons
- -Thermostatic faucet with a stopper at 100’ F
- -FM radio
- -Chromatherapy
- -Unique double drain system (patent design)
- –Auto protection function for pump (if there is not enough water in the whirlpool bathtub, the pump cannot be started
- –Sydney whirlpool system promotes good health and increases blood circulation
- –Electrical Requirements : 13.6 Amps, 110 Volts, 60 Hz, 2 HP,1500 Watts



ULTRA MODERN TUB WITH GLASS SKIRT & LIGHTS



AM151–L Drain on the Left
AM151–R Drain on the Right

256 lbs


Size: 70 7/8"x35 3/8"x25 5/8"


Configuration:

–2 HP water pump
–21 jets
–Hand shower head
–Leakproof shower holder
–Deodorized trap
–TS touch control panel contains FM radio,chromatic light,impulse type massage adjustment function

Features:

–Seamless connection technology
–Water Capacity: 95 gallon
–Inline Heater
–Electrical Requirements : 27.3 Amps, 110 Volts, 60 Hz, 2 HP,1500 Watts







CORNER DOUBLE WHIRLPOOL TUB




AM124–L Drain on the Left
AM124–R Drain on the Right


225 lbs

Size: 70 7/8"x 47 1/4"x 27 5/8"

Configuration:

–2 HP pump
–17 jets
– Sydney whirlpool system, promotes good health and increases blood circulation
–Sensational bottom hydro–massage system
–Water capacity: 114gallons
–Thermostatic faucet with a stopper at 100 Fahrenheit
–FM radio
–Chromatherapy
–Unique double drain system (patent design)
–The pump is equipped with auto protection function. This means that if there is not enough water in the whirlpool bathtub, the pump cannot be started
–60 minutes auto shutdown function
–Removable front panel
–Electrical Requirements : 13.6 Amps, 110 Volts, 60 Hz, 2 HP,1500 Watts









AM125 216lbs

Size: 59 5/8''x 59 5/8''x 27 1/8''

Configuration:

–2 HP pump
–15 jets
– Sydney whirlpool system, promotes good health and increases blood circulation
–Sensational bottom hydro–massage system
–Water capacity: 123 gallons
–Thermostatic faucet with a stopper at 100 Fahrenheit
–FM radio
–Chromatherapy
–Unique double drain system (patent design)
–Auto protection function for pump (if there is not enough water in the whirlpool bathtub, the pump cannot be started
–Inline Heater
–Electrical Requirements : 13.6 Amps, 110 Volts, 60 Hz, 2 HP,1500 Watts









AM161–L Drain on the Left
AM161–R Drain on the Right 132 lbs

Size: 59''x 39 3/8''x 25 5/8''

Configuration:

–Chromatherapy
–1.2HP pump
–7side jets
– Water capacity: 45 gallons
– EAGO patent 100% fully drainable system ensuring no water is left in the pipes
–Waste with trap
–Electrical Requirements : 10.5 Amps, 110 Volts, 60 Hz, 1.5 HP,1125 Watts









AM175–L Drain on the Left
AM175–R Drain on the Right 121 lbs

Size: 57"x 30"x 27 5/8"

Configuration:


–Rated Power:1.2HP


–Water Capacity:42 gallons

–7 side hydro–massage jets, 2 back hydro–massage jets

Character : The special arc–shaped bottom makes the sitting space become bigger; designed according to the human body, makes you feel very comfortable when you lie down in it

–Electrical Requirements : 10.5 Amps, 110 Volts, 60 Hz, 1.5 HP,1125 Watts





AM113–L Drain on the Left
AM113–R Drain on the Right 221 lbs

Size: 66 3/4"x 52 3/8"x 28 1/8"

Configuration:

–Key pad control panel

–Whirlpool massage system

–Thermostatic faucet

–FM radio

–Chromatic lights

–Pillows

–Hand shower


–PVC piping system


–Right hand & Left hand side available

–Deodorized waste

–Inline Heater

–Electrical Requirements : 13.6 Amps, 110 Volts, 60 Hz, 2 HP,1500 Watts








AM189–L Drain on the Left
AM189–R Drain on the Right 147 lbs

Size: 70 1/2"x 31 7/8"x 26 3/8"

Configuration:

–Hydro massage side and back jets
–Manual control
–Waterfall inlet and hand shower
–Chromatic light
–PVC piping system
–Left/right side
–Deodorized waste
–Inline Heater
–Electrical Requirements : 10 Amps, 110 Volts, 60 Hz, 1.2 HP,900 Watts






AM208 190 lbs

Size: 65 1/2"x 65 1/2"x 28 3/8"

Configuration:

–Touch responsive control panel
–180 degree rotary jets(back and side jets)
–Chromatic lighting bottom jets
–Waterfall inlet
–MP3 player and radio
–PVC piping system
–Deodorized waste
–Inline Heater
–Electrical Requirements : 10 Amps, 110 Volts, 60 Hz, 1.2 HP,900 Watts



EAGO
5' ACRYLIC SOAKING BATHTUB






LK1102–L Drain on Left
LK1102–R Drain on Right


86 lbs

Size: 63"x 29 1/2"x 26 3/4"

Configuration:

–With faucet, hand shower and pillow
–Left/right side






LK1103–L Drain on Left
LK1103–R Drain on Right


88 lbs

Size: 59"x 29 1/2"x 26 3/4"

Configuration:

–With faucet, hand shower and pillow
–Left/right side







LK1104–L Drain on Left
LK1104–R Drain on Right


92 lbs


Size: 67"x 31 1/2"x 25 1/4"

Configuration:

–With faucet, hand shower and pillow

–Left/right side







BB127



37 lbs







BB128



68 lbs







BD379



53 lbs







BD385



47 lbs






BA138




25 lbs



BA141




25 lbs



BA142


35 lbs



BA351




20 lbs



BA352




22 lbs



BA129




18 lbs



BA130




20 lbs



BA131




26 lbs



BA132




26 lbs



BA134




37 lbs



BH001




44 lbs



BH002




60 lbs



BH003




41 lbs



BC224




15 lbs



BC227




21 lbs



BC302



21 lbs



KBIS
EXHIBITOR 2017



YouTube Check out all our product videos at **www.youtube.com/alfitrade**

EAGO USA

EAGOusa.com

Alfi Trade Inc. 4011 W. Jefferson Blvd. Los Angeles, CA 90016

Tel:323-732-4045 Fax:323-732-2815 Toll Free:800-990-ALFI info@alfitrade.com